

TS32/64/128GSJC10K

Description

Congratulations on purchasing Transcend's **SJC10K**. This portable wireless storage device not only provides the perfect data management system for uploading, downloading, storing and transferring your data as an excellent USB portable drive but also allows your wireless access via the free apps for iOS devices. With its exclusive app, SJC10K is an ideal extension drive of your iOS devices for carrying additional files, folders, documents, photos, music and videos. In addition, a powerful Li-ion battery is embedded for long lasting playback. Please read it in detail before using the SJC10K.

System Requirements

- Desktop or notebook computers with USB port
- One of following operating systems:
Windows® XP/Vista/7/8, Mac® OS 10.5 or above
Linux® Kernel 2.4 or above

Placement



Features

- View photos (JPEG, JPG, BMP, PNG)
- View documents (PDF, TXT, DOC, PPT, XLS)
- Playback music (MP3, WAV)
- Playback videos (AVI, MOV, MP4, M4V)
- Wi-Fi encryption by WEP/WPA/WPA2/WPA2-Mixed
- 5 devices can stream different content simultaneously
- Supports iOS, Android, Windows, and Mac OSX
- Special App for iOS devices
- 32GB/64GB/128GB capacity
- Li-Battery supports 6hrs playback and 8hrs standby
- Share picture/audio/video/document files wirelessly
- Email files as attachments
- Supports multi-format files
- Small-scale dimensions and lightweight

Dimensions

Side	Millimeters	Inches
A	99.00 ± 0.14	3.898 ± 0.006
B	54.00 ± 0.14	2.126 ± 0.006
C	16.50 ± 0.05	0.650 ± 0.002

TS32/64/128GSJC10K

Pinouts

Pin No.	Pin Name
01	V _{USB}
02	USB-
03	USB+
04	VSS

Pin Identification


Symbol	Function
USB- USB+	USB differential signal: The pairs are used to transmit Data/Address/Command
VSS	Ground
V _{USB}	USB Power Input

Specifications

Environment		
Dimensions		99 mm × 54 mm × 16.5 mm
Temperature	Operation	0 °C to 70 °C
	Storage	-40 °C to 85 °C
Weight		90g
Connection Interface		USB 2.0
Network Interface		Wi-Fi 802.11b/g/n
Battery		Li-Polymer
Certificates		CE, FCC, BSMI
Warranty		Two-year Limited

TS32/64/128GSJC10K


Block Diagram



TS32/64/128GSJC10K



Ordering Information



The above technical information is based on industry standard data and has been tested to be reliable. However, Transcend makes no warranty, either expressed or implied, as to its accuracy and assumes no liability in connection with the use of this product. Transcend reserves the right to make changes to the specifications at any time without prior notice.



TAIWAN

No.70, XingZhong Rd., NeiHu Dist., Taipei, Taiwan, R.O.C
TEL +886-2-2792-8000
Fax +886-2-2793-2222
E-mail: sales@transcend-info.com
www.transcend-info.com

USA

Los Angeles:

E-mail: sales@transcendusa.com

Maryland:

E-mail: sales_md@transcendusa.com

www.transcendusa.com

CHINA

E-mail: sales@transcendchina.com

www.transcendchina.com

GERMANY

E-mail: vertrieb@transcend.de

www.transcend.de

HONG KONG

E-mail: sales@transcend.com.hk

www.transcend.com.hk

JAPAN

E-mail: sales@transcend.co.jp

www.transcend.jp

THE NETHERLANDS

E-mail: sales@transcend.nl

www.transcend.nl

United Kingdom

E-mail: sales@transcend-uk.com

www.transcend-uk.com

KOREA

E-mail: sales@transcend.co.kr

www.transcend.co.kr