

## Mounting base housing - BC 107,6 UT HBUS KMGY - 2202951

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Installation component housing, Lower part, width: 107.6 mm, color: light gray (7035)

### Your advantages

- Item is from the BC product range
- Conforms to DIN EN 43880
- Tool-free mounting
- Available in overall widths from one to nine width units (17.8 mm ... 161.6 mm)
- Inflammability class V0 according to UL 94
- Variety of connection technologies
- Can be mounted on the DIN rail or the wall
- Optional with bus connector for DIN rail mounting



### Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	
GTIN	4055626282114
Weight per Piece (excluding packing)	46.400 g
Custom tariff number	85472000
Country of origin	Germany

### Technical data

#### General

Housing type	Installation component housing
Housing material	Polycarbonate
Color (RAL)	light gray

#### Ambient conditions

# Mounting base housing - BC 107,6 UT HBUS KMGY - 2202951

## Technical data

### Ambient conditions

Ambient temperature (storage/transport)	-40 °C ... 70 °C
Ambient temperature (assembly)	-5 °C ... 100 °C
Ambient temperature (operation)	-40 °C ... 100 °C (depending on power dissipation)

### Dimensions

Width	107.6 mm
Height	89.7 mm
Depth	48.9 mm

### Standards and Regulations

Flammability rating according to UL 94	V0
----------------------------------------	----

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 6.0	27180800
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

### ETIM

ETIM 5.0	EC001031
ETIM 6.0	EC001031
ETIM 7.0	EC001031

### UNSPSC

UNSPSC 13.2	31261501
-------------	----------

## Approvals

### Approvals

Approvals

UL Recognized / EAC

Ex Approvals

### Approval details

# Mounting base housing - BC 107,6 UT HBUS KMGY - 2202951

## Approvals

UL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	FILE E 240868
---------------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------	---------------

EAC			B.01742
-----	--	--	---------

## Accessories

### Accessories

### Mounting material

Base latch - FUSSRIEGEL 14,4 L30 SPERR OG - 2896998



Component housing, color: orange

## Necessary add-on products

Upper part of housing - BC 107,6 OT U11 KMGY - 2896076



Installation component housing, Upper part, width: 107.6 mm, Cross connection: Component housing, color: light gray (7035)

Upper part of housing - BC 107,6 OT U22 KMGY - 2896089



Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

Electronic housing - RPI-BC 107,6 DEV-KIT KMGY P10 - 2202875



DIN rail housing for Raspberry Pi computers (suitable for Raspberry Pi A+, B+, B2, B3); set consisting of upper part and PCB holder; housing according to DIN 43880

## Mounting base housing - BC 107,6 UT HBUS KMGY - 2202951

### Accessories

---

Upper part of housing - BC 107,6 OT U11 BK - 2200721



Installation component housing, Upper part, width: 107.6 mm, Cross connection: Component housing, color: black (9005)

---

Upper part of housing - BC 107,6 OT 2000 KMGY - 1050443

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT 1121 BK - 1108020

Installation component housing, Upper part, width: 107.6 mm

---

Upper part of housing - BC 107,6 OT U11 RD3000 - 2203809

Installation component housing, Upper part, width: 107.6 mm

---

Upper part of housing - BC 107,6 OT 1112 KMGY - 1086268

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT U11 BK VPE80 - 1006943

Installation component housing, Upper part, width: 107.6 mm

---

Upper part of housing - BC 107,6 OT 0C0C0C0C KMGY - 1046365

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT 0C0C0C0C BK - 1066143

Installation component housing, Upper part, width: 107.6 mm

---

## Mounting base housing - BC 107,6 UT HBUS KMGY - 2202951

### Accessories

Upper part of housing - BC 107,6 OT 0101 KMGY MOQ80 - 1065104

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT U22 BK - 2203763

Installation component housing, Upper part, width: 107.6 mm, color: black (9005)

---

Upper part of housing - BC 107,6 OT 1121 KMGY - 2203260

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT 000C0C KMGY VPE80 - 1025418

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT 2121 KMGY - 1038850

Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT 0121 KMGY - 2202301



Installation component housing, Upper part, width: 107.6 mm, color: light gray (7035)

---

Upper part of housing - BC 107,6 OT U22 GY 7045 - 2202269

Installation component housing, Upper part, width: 107.6 mm

---

DIN rail bus connectors - HBUS 107,6-16P-1S BK - 2896306



DIN rail connector, number of positions: 16, pitch: 2.54 mm, color: jet black

## Mounting base housing - BC 107,6 UT HBUS KMGY - 2202951

### Accessories

---

Pin strip - PSTD 0,65X0,65/9-2,54 - 2200700



Pin strip, number of positions: 18, pitch: 2.54 mm

### Additional products

---

DIN rail bus connectors - HBUS 107,6-16P-1S BK - 2896306



DIN rail connector, number of positions: 16, pitch: 2.54 mm, color: jet black