

Item no.: EP-DCOV2735-F36

EP-DCOV2735-F36 - USB 1080P HD Camera

from **86,89 EUR**

Item no.: EP-DCOV2735-F36

shipping weight: 0.20 kg

Manufacturer: AAeon



Product Description

AAEON EP-DCOV2735-F36 - USB 1080P HD Camera The USB 2.0, USB Video Class camera with OV2735 sensor can be used with all UP boards. It is compatible with Windows 10 and Linux. The semi-industrial design is perfect for AI vision projects.

Application Areas

- Entrance surveillance
- High-speed video capture
- Face recognition

- Model: AD-BHC7350U
- Max. resolution: Full HD 1920 x 1080
- Resolution & frame: 320 X 240 QVGA MJPEG (at) 60 fps / 352 X 288 CIF MJPEG (at) 60 fps 640 X 480 VGA MJPEG (at) 60 fps 1024 X 768 XGA MJPEG (at) 30 fps / 1280 X 720 HD MJPEG (at) 30 fps 1280 X 1024 SXGA MJPEG (at) 30 fps / 1920 X 1080 FHD MJPEG (at) 30 fps
- Picture format: MJPEG/ YUV2 YUYV
- Focus mode: Manual focus
- Sensor: 1/2.7" OV2735
- Mini illumination: 0.05 LUX
- Interface: USB 2.0 high-speed
- Lens: F3.6 mm
- Support: USB 2.0 OTG
- Support free driver: USB Video Class UVC
- Size: 41 x 41 x 41.5 mm / 100 g
- Exposure: Auto
- Auto white balance: Auto
- AGC: Support
- Work temperature: -20 °C to 80 °C
- Operating humidity: 30 % - 90 % Rh
- Power supply: 5 V DC
- Cable: 1 m
- Adjustable parameters: brightness, contrast, color saturation, definition, gamma, WB
- Support OS: WinXP, Vista, Win7/8/10, WinCE with UVC, Linux, MAC-OS, Android
- Certificate: RoHS, CE, FCC

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



