

Item no.: APOE-2405

## APOE-2405 - 24 V Passive PoE Adapter

from **13,34 EUR**

Item no.: APOE-2405  
shipping weight: 0.20 kg  
Manufacturer: ALFA Network



### Product Description

ALFA Network APoE-2405 - 24 V Passive PoE Adapter

The PoE adapter is compatible with the following UBIQUITI products:

- UniFi AP
- UniFi AP-LR
- AirCam
- AirCam Dome
- AirCam Mini
- AirGrid M2HP
- AirGrid M5HP
- Bullet M2
- Bullet M5
- Bullet Titanium M2HP
- Bullet Titanium M5HP
- Nanostation LOCO M9
- Nanostation LOCO M2
- Nanostation M2
- Nanostation M5
- Nanostation M3
- Nanostation M365
  
- Output voltage: 24 V
- Output current: 500 mA
- Input voltage: 90 ~ 264 V ac maximum
- Input frequency: 7 ~ 63 Hz
- Input current: 0.3 A maximum
- Inrush current: 30 A maximum
- Ripple: 240 mV maximum
- Hold-up time: 10 ms
- Over-current protection: Auto recovery
- MTB: 50,000H (at 25°C)
- Short-circuit protection: Auto recovery
- Operating temperature: 0°C ~ 40°C
- Storage temperature: -20°C ~ +85°C
- Relative humidity: 5% - 90%
- Safety: CE / FCC

### Specifications

**Scan this QR code to  
view the product**  
All details, up-to-date  
prices and availability



