

Item no.: RTMX-MBBOX

## RTMX-MBBOX - Turrís MOX B (Extension)

**29,96 EUR**

Item no.: RTMX-MBBOX  
shipping weight: 0.10 kg  
Manufacturer: Turrís Omnia



### Product Description

#### Turrís MOX B (Extension)

The Turrís MOX is a unique modular router suitable for small and medium enterprises, geeks and the households of all users who are aware of the internet's risks. Thanks to its secure default configuration, automatic firmware updates and adaptive distributed firewall, the product is very secure. The Turrís MOX is also open source – it runs a free Linux operating system (based on OpenWrt) on open hardware. You can buy a Turrís MOX as a complete set (Pocket Wi-Fi, Power Wi-Fi and Classic) or build your own. For that you will need the basic set MOX Start which you can expand with one or more modules (MOX B, C, D, E, F and G) and add-ons (MOX Wi-Fi add-on (SDIO), MOX Wi-Fi add-on (mPCIe) and MOX PoE add-on). [Key features of the MOX B \(Extension\) module](#)

MOX B allows you to add more hardware to your configuration. It contains an mPCIe slot for a compatible Wi-Fi card, disk controller or LTE modem. If you choose to install an LTE modem, the MOX B features a SIM card slot that you can use. If you use Wi-Fi networks, we recommend using the original MOX Wi-Fi add-on (mPCIe) which can deliver significantly higher speeds than SDIO Wi-Fi. [Compatibility](#)

There can be only one MOX B module in the configuration; the PCIe bus is terminated there. For this reason, the MOX B cannot be combined with MOX F. If you need a module with the same parameters but with PCIe signal passing through, choose MOX G.

This module can be used only as an extension in a set. You will need at least MOX Start. MOX B is included in the MOX Power Wi-Fi and MOX Classic sets. If you're combining it with other modules, make sure they are compatible.

- External ports: 1x SIM card slot
- Internal interfaces: 1x 64 pin connector for connecting additional modules; 1x miniPCIe
- Size (W x D x H): 100 x 58 x 14 mm (without case)
- Operating temperature: 0°C to 40°C (40°F to 104°F)
- Relative Humidity: 10% to 90% RH
- HW extensibility: Additional MOX modules due straddle mount PCIe 64 pin connector, LTE modem (miniPCIe), SSD disc (miniPCIe)

### Specifications

Scan this QR code to  
view the product  
All details, up-to-date  
prices and availability

