

Item no.: 330558

LPAM-BC3G-26-3SP - Low Profile MiMo Cellular Antenna

from **41,22 EUR**

Item no.: 330558
shipping weight: 0.20 kg
Manufacturer: Panorama Antennas



Product Description

LPAM-BC3G-26-3SP Low Profile MiMo Cellular Antenna

The LP[G]AM-BC3G-26 range has been designed to provide MiMo Cellular/LTE antenna function for IOT and M2M applications. The compact, robust low-profile housing is weatherproof and contains two antenna elements with effective isolation and correlation covering all current global cellular and LTE bands in freq. range 698-960/1710-3800MHz. The LG version includes an active GPS/GNSS antenna for applications which require position or timing function.

The antenna can be fitted on a non-conductive panel if required and offers easy, quick, secure and weatherproof installation with the single hole mounting bush and acrylic adhesive sealing pad.

Features

- Low profile and weatherproof housing
- 2 x 2 MiMo and optional GPS/GNS
- Robust and cost effective M2M and IOT solution
- Magnetic version available

Electrical Data

- LTE Frequencies: 698-960/1710-3800MHz
- Global Positioning: N/A
- LTE MiMo: 2x2
- Max Input Power (W): 20
- Pattern: Omni-directional
- Ground Plane Independent: Yes
- Cable & Connector: 2x 3m RG174 SMA Plug (m)

Mechanical Data

- Available Colours: Black
- Length (mm): 150
- Width (mm): 45
- Height (mm): 49
- Operating Temperature: -30/+ 70°C

Mounting Data

- Mounting Type: Panel Mount
- Mounting Method: 18mm (3/4") Mounting Bush

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



