

Item no.: TSW200

TSW200 - PoE+ Gigabit Ethernet Switch (without PSU)

from **82,05 EUR**

Item no.: TSW200
shipping weight: 0.50 kg
Manufacturer: Teltonika



Product Description

TSW200 - PoE+ Gigabit Ethernet Switch (without PSU)

TSW200 is an industrial unmanaged switch from Teltonika Networks. It is equipped with 2x SFP ports for long-range Fiber-optic communication and 8x Gigabit Ethernet ports which support IEEE 802.af and IEEE 802.3at Power-over-Ethernet standards.

Classified as power source equipment (PSE), it enables centralization of the power supply, providing up to 30 watts per port and reducing the effort for installing power. It has 10/100/1000 Mbps Ethernet ports to provide an economical high-bandwidth solution for your industrial Ethernet network.

This rugged unmanaged industrial switch is ideal for professional high bandwidth applications where it is necessary to provide both: reliable data connection and power supply. Hardware

- Power connector: 2-pin, push-in, terminal block
- Input voltage range: 7-57 V DC
- Input voltage range for PoE: 44-57 V DC
- Power consumption: Idle: < 2 W, max.: < 9 W (no PoE device connected)
- PoE standard: 802.3af/at (up to 30 W per port, total power budget: 240 W)
- Ethernet: 8x 10/100/1000 Mbps Ethernet ports
- SFP: 2x SFP port for optical interface
- Status LEDs: 16x Ethernet, 1x power, 2x SFP activity
- Ingress protection rating: IP30
- Operating temperature: -40°C to 75°C
- Housing: Aluminium housing with wall or DIN rail mounting option and grounding capability
- Dimensions: 132 x 44.2 x 95.1 mm
- Weight: 456 g
- Installation: Desktop, wall or DIN rail mountable (additional kit needed)

* PoE operates properly only when connected power supply outputs 44 V or higher voltage

Performance Specifications

- Bandwidth: 20 Gbps
- Packet buffer: 128 KB
- Jumbo frame support: 9216 bytes
- MAC address table size: 2K entries
- Auto MDI/MDI-X cable detection: Yes

Specifications

Scan this QR code to
view the product
All details, up-to-date
prices and availability

