

Item no.: 357618

Premium HDMI Cable 4K 60 Hz 1.5 m

from **15,06 EUR**

shipping weight: 0.10 kg Manufacturer: Delock



Product Description

This certified premium HDMI cable from Delock is used to connect devices with HDMI interface, such as TVs, Blu-ray players, monitors or beamers. Supporting a maximum bandwidth of 18 Gbps, it can play back content with a resolution of up to 4K Ultra HD (3840 x 2160 @ 60 Hz).

The cable is particularly characterised by its small diameter and the highly flexible cable material, which makes it especially easy to lay.

- Connectors:1 x HDMI-A male >1 x HDMI-A male

- 1 x HDMI-A male
 Certified Premium HDMI Cable
 High Speed HDMI with Ethernet (HEC) specification
 Wire gauge: 34 AWG
 Cable diameter: approx. 4.5 mm
 Cable conductor: twisted

- Copper wire Triple shielded cable
- Contacts gold-plated
 Transmission of audio and video signals

- Transmission of audio and video signals
 Data transfer rate up to 18 Gbps
 Resolution up to 3840 x 2160 @ 60 Hz (depending on system and connected hardware)
 3D support: up to 1920 x 1080 @ 60 Hz; 3840 x 2160 @ 30 Hz (depending on system and connected hardware)
 Supports 21:9 cinema aspect ratio
 Supports 1080p HFR (High Frame Rate) 3D
 Up to 120 Hz refresh rate
 Supports transmission of 2 video chappels simultaneously to use one screen for two viceous

- Supports transmission of 2 video channels simultaneously to use one screen for two viewers Supports 4:2:0 colour sampling (original format of Blu-Ray, DVD and TV) Includes audio return channel (ARC)
 Up to 32 audio channels for speakers

- Up to 1536 kHz audio sampling rate
- Supports transmission of up to 4 audio channels simultaneously Supports dynamic lip sync adjustment for picture/sound delays

- Supports CEC 2.0 control commands
 Supports Dolby® TrueHD and DTS-HD Master Audio™
 Supports HDR
- For more vivid and natural colours
- Colour: black
- Length incl. connections: approx. 1.5 m

Specifications

Scan this QR code to view the product

All details, up-to-date prices and availability

