

Item no.: 362137

Adapter USB 2.0 Type-A to 1x serial RS-422/485 St. w. 6 Pin Terminal Block Adapter

from **20,56 EUR**

shipping weight: 0.20 kg Manufacturer: Delock



Product Description

This USB 2.0 to serial adapter from Delock offers a standard RS-422 and RS-485 connection for measuring devices, POS systems, printers, modems, IoT devices etc.. The terminal block is suitable for mounting in PC housings and for any solderless cable connection with RS-422 or RS-485 interface. Optionally, external devices can be supplied with 5 V voltage via the terminal block.

- Connections: Adapter: 1x USB 2.0 type-A plug, 1x serial RS-422/485 D-Sub 9 pin plug with screws; terminal block: 1x serial RS-422/485 D-Sub 9 pin socket with Torniestins, Adapter. IX GSD 2.0 type-A plug, IX senuts, 1x 6 pin terminal block
 Terminal block: T/R+, T/R-, RXD+, RXD-, GND, VCC
 Chipset: FTDI FT232R

- Data transfer rate up to 921.6 Kbps
 RS-422/485 terminating resistor: 120 ?
 Cable length incl. connections: approx. 1.8 m

System requirements

- Linux Kernel 5.11 or higher
- Mac OS 11.6 or higher
 Windows 8.1/8.1-64/10/10-64/11
 Windows Server 2019
- PC or notebook with a free USB Type-A port

Package contents

- USB 2.0 to 1x serial RS-422/485 adapter
- Terminal block adapter
 Driver CD
- Operating instructions

Specifications

