

Item no.: 353700

89011 - PCI Express x8 card to 2 x external USB3.2-C socket Dual Channel - low profile form factor

282,^{11 EUR}

shipping weight: 0.20 kg Manufacturer: Delock



Product Description

PCI Express x8 card to 2 x external USB3.2-C socket Dual Channel - Low Profile Form Factor

The PCI Express card from Delock expands the PC with two external USB 3.2 ports. Various USB devices, such as docking stations, card readers, external enclosures, etc., can be connected to the card.

Dual Channel

The card has two ASM3242 chipsets, one for each USB Type-CTM port. This ensures the high data transfer rate of 20 Gbps on all ports when used simultaneously. Package contents

- PCI Express card SuperSpeed USB 20 GbpsLow Profile bezel
- Instruction manual
- Connections: external: 2 x SuperSpeed USB 20 Gbps (USB 3.2 Gen 2x2) USB Type-C™ socket; internal: 1 x PCI Express x8, V3.0, 1 x SATA 15 pin power connector
- Chipset: Asmedia ASM3242, ASM2824
 Data transfer rates up to: SuperSpeed USB 20 Gbps, SuperSpeed USB 10 Gbps, SuperSpeed USB 5 Gbps, Hi-Speed 480 Mbps, Full-Speed 12 Mbps, Low-Speed 1.5 Mbps

 Backwards compatible with USB 3.0, USB 2.0, USB 1.1
- Power supply via PCI Express interface or via SATA 15 pin power connector
 Electrical power per port: max. 15 Watt (5 V / 3 A)
- Bootable
- Supports UASP
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Supports Multiple INs

System requirements

- Linux kernel 3.12 or higher
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2019

 PC with a free PCI Express x8 / x16 / x32 slot

Specifications

Scan this QR code to view the product

All details, up-to-date prices and availability

