

Item no.: 368321

Converter SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) to SATA 6 Gbps incl. power supply unit

from **27,18 EUR**

shipping weight: 0.30 kg Manufacturer: Delock



Product Description

This Delock converter can be connected to a PC or notebook via a USB type-A interface. Thus, various SATA devices with a 22-pin SATA interface can be operated. The enclosed power supply unit is required for 3.5? SATA hard disks or optical drives. Specification

- Connectors: 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) type Micro-B socket; 1 x DC power socket; 1 x SATA 6 Gb/s 22 pin socket
- Chipset: Asmedia
 For SATA hard disks, SATA SSD, optical drives etc
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
 Data transfer rates up to: SuperSpeed 5 Gbps, Hi-Speed 480 Mbps, Full-Speed 12 Mbps, Low-Speed 1.5 Mbps
- Plug & Play

Power supply specification

- Plug-in power supply unit
 Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
- Output: 12 V / 2 A
- Ground outside, plus inside
 Dimensions: inside: ø approx. 2.5 mm; outside: ø approx. 5.5 mm; length: approx. 9.5 mm

System requirements

- Linux Kernel 3.2 or higher
- Mac OS 10.8 or higherWindows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or notebook with a free USB type-A port

- Converter USB SATA 6 Gb/s
 Cable SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A plug to SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type Micro-B plug, length approx. 0.8 m
- External power supply unit
- Operating instructions



Scan this QR code to view the product

All details, up-to-date prices and availability

