

Item no.: 373682

42020 - USB Type-C enclosure for 1x M.2 NVMe SSD + 1x 2.5" SATA SSD/HDD with clone function

from **86,39 EUR**

Item no.: 373682
shipping weight: 0.40 kg
Manufacturer: Delock



Product Description

This case by Delock, in gaming style with many ventilation slots, enables the simultaneous operation of an M.2 NVMe SSD, in 2280, 2260 and 2242 format, and a 2.5" SATA HDD or SSD via the USB-C™ interface. Clone function without PC. The integrated clone function makes it possible to clone storage without the use of a PC. It is possible to clone from NVMe to SATA and SATA to NVMe. Extensive connection options. Thanks to the specially designed adapter, the Delock enclosure can also be quickly and easily connected to the USB type A socket. This means it can be easily connected to new devices with a USB Type-C™ socket and older devices that only have a USB Type-A connection. The adapter is located directly on the cable and can therefore not get lost. SSD installation. The M.2 SSD is installed on the underside, simply by removing the attached heat sink.

Specification- Connectors: 1 x USB 10 Gbps USB Type-C™ socket, 1 x M.2 Key M slot, 1 x SATA 6 Gb/s 22 pin socket, 1 x DC power socket- Chipset: JMicron JMS581D- Supports M.2 modules in 2280, 2260 and 2242 format with Key M or Key B+M on PCIe (NVMe) basis- Maximum height of the components on the module: 1.5 mm, use of double-sided modules possible- Suitable for 2.5" HDDs / SSDs- Supports NVMe Express (NVMe)- Supports S.M.A.R.T.- Supports TRIM - Supports S.M.A.R.T. - Supports TRIM Supports TRIM- Supports Native Command Queuing (NCQ)- Data transfer rate up to 10 Gbps- Supports UASP- 7 x LED display for power, access and copy status- Bootable- Function keys: 1 x clone button, 1 x on/off switch, 1 x switch for clone mode- Ventilation slots on the sides and bottom- Dimensions (LxWxH): approx. 140 x 87 x 21 mm- Hot plug, plug & play- Power supply specification- Plug-in power supply- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A- Output: 12 V / 2 A- External ground, internal positive- Internal dimensions: ø approx. 2.5 mm- External dimensions: ø approx. 5.5 mm- Length: approx. 10 mm- System requirements- Android 11.0 oder höher- Chrome OS- Linux Kernel 5.11 oder höher- Mac OS 11.2.3 oder höher- Windows 8.1/8.1-64/10/10-64/11- iPad Air (4. Generation) oder höher- iPad Pro (3. Generation) or higher- Surface Pro 7- PC or notebook with a free USB Type-A port or- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port or- Device with a free USB4™ port or with a free Thunderbolt™ 4 port- Package contents- 2.5" external enclosure- Cable USB-C™ plug to USB-C™ plug (with adapter to USB Type-A plug), length approx. 30 cm- 2 x thermal pad- Screwdriver- M.2 Mounting material- Foam spacer- External power supply unit 12.0 V / 2.0 A- Operating instructions

Specifications

Scan this QR code to
view the product
All details, up-to-date
prices and availability

