

Item no.: AFI-R

AFI-R-EU - AmpliFi HD Home Wi-Fi Router

from **138,11 EUR**

Item no.: AFI-R
 shipping weight: 3.60 kg
 Manufacturer: Ubiquiti



Product Description

Ubiquiti AFI-R - AmpliFi HD Home Wi-Fi Router

The AmpliFi(TM) HD (High Density) Mesh Router can be used as a stand-alone router or with other AmpliFi(TM) Mesh Routers for multi-hop, self-healing wireless coverage and enhanced range. For a typical home, the Router alone delivers maximum throughput to meet your streaming and gaming demands with lag-free performance. The Router features an innovative and simple design with an intuitive touchscreen display. A mobile app is available for iOS and Android platforms for instant setup and easy management. Powerful Antennas Super antenna technology drives superior range and speed. Significant Signal Latest 802.11ac Wi-Fi technology, integrated. Plug and Play Setup AmpliFi's app directly links AmpliFi devices to your smartphone via Bluetooth LE. With a simple, intuitive setup, you can manage your new network, monitor ISP speeds, invite guests, and oversee network security.

AmpliFi Specifications

- Max. TX power: 26 dBm
- Radios: 2
- MIMO chains: 6
- Speed: 1.750 Mbps

Common Specifications

- Networking interface: Wi-Fi/Gigabit Ethernet (1) WAN, (4) LAN
- Maximum power consumption: 11 W
- Buttons: Reset
- Antennas: (1) dual-band antenna, tri-polarity
- Display: 1.6" (40.6 mm) diagonal, 240 x 240, 212 ppi, G+F touch, full color
- Wi-Fi standards: 802.11ac
- Power save: Supported
- Wireless security: WPA2-PSK AES/TKIP
- Operating temperature: 14° F to 131° F (-10° C to 55° C)
- Operating humidity: 5 to 95% non-condensing
- Certifications: FCC / CE / IC

Supported Data Rates (Mbps)

- 802.11ac: 13 Mbps to 1300 Mbps (MCS0 - MCS9, VHT 20/40/80)
- 802.11n: 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40)
- 802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- 802.11b: 1, 2, 5.5, 11 Mbps
- 802.11g: 6, 9, 12, 18, 24, 36, 48, 54 Mbps

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



