

Item no.: USW-48

USW-48-EU - UniFi 48-Port Gigabit Switch with SFP

from **394,70 EUR**

Item no.: USW-48
shipping weight: 5.00 kg
Manufacturer: Ubiquiti



Product Description

USW-48 - UniFi 48-Port Gigabit Switch with SFP

UniFi Switch 48 is a fully managed Layer 2 switch with 48x Gigabit Ethernet ports and 4x 1G SFP ports for fiber connectivity.

The UniFi Switch 48 features a rich set of Layer 2 capabilities and fanless, silent cooling for use as an access layer switch. UniFi Network application and UniFi Network mobile app allow admins to configure and monitor virtually all of the switch features in an intuitive graphical user interface from anywhere.

Mechanical

- Dimensions: 442.4 x 285 x 43.7 mm (17.42 x 11.22 x 1.72")
- Weight: Without mount: 3.9 kg (8.6 lb); With mount: 3.99 kg (8.8 lb)
- Enclosure characteristics: SGCC steel

Hardware

- Total non-blocking line rate: 52 Gbps
- Max. power consumption: 40 W
- Forwarding rate: 77.376 Mpps
- Power method: Universal AC input: 100-240 V AC, 50/60 Hz
- Power supply: AC/DC, internal, 60 W
- Supported voltage range: 100 - 240 V AC
- Networking interfaces: (48) 10/100/1000 Mbps Ethernet RJ45 ports; (4) 1 Gbps SFP ports
- Management interface: Ethernet in-band
- Modes: SMB Layer 2 Gigabit Ethernet switch
- Operating temperature: -15°C to 40°C (5°F to 104°F)
- Operating humidity: 10 - 90% non-condensing
- Certifications: CE, FCC, IC

LEDs

- System: (1) bootup animation: Bootup in progress
- Firmware upgrade icon: Firmware upgrading
- Steady white: Factory defaults, awaiting adoption
- Steady blue: Device is adopted
- Ethernet: Green: 1G, amber: 10/100 Mbps
- SFP: Green: 1G

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



