

Item no.: USW-48

### USW-48-EU - UniFi 48-Port Gigabit Switch with SFP

## from 430,37 EUR

shipping weight: 5.00 kg Manufacturer: Ubiquiti



#### Product Description

USW-48 - UniFi 48-Port Gigabit Switch with SFP

UniFi Switch 48 is a fully managed Layer 2 switch with 48x Gigabit Ethernet ports and 4x 1G SFP ports for fiber connectivity.

The UniFi Switch 48 features a rich set of Layer 2 capabilities and fanless, silent cooling for use as an access layer switch. UniFi Network application and UniFi Network mobile app allow admins to configure and monitor virtually all of the switch features in an intuitive graphical user interface from anywhere. Mechanical

- Dimensions: 442.4 x 285 x 43.7 mm (17.42 x 11.22 x 1.72")
- Weight: Without mount: 3.9 kg (8.6 lb); With mount: 3.99 kg (8.8 lb)
   Enclosure characteristics: SGCC steel

#### Hardware

- Total non-blocking line rate: 52 Gbps
  Max. power consumption: 40 W
  Forwarding rate: 77.376 Mpps
  Power method: Universal AC input: 100-240 V AC, 50/60 Hz

- Power method: Universal AC input: 100-240 V AC, 50/60 Hz
  Power supply: AC/DC, internal, 60 W
  Supported voltage range: 100 240 V AC
  Networking interfaces: (48) 10/100/1000 Mbps Ethernet RJ45 ports; (4) 1 Gbps SFP ports
  Management interfaces: Ethernet in-band
  Modes: SMB Layer 2 Gigabit Ethernet switch
  Operating temperature: -15°C to 40°C (5°F to 104°F)
  Operating humidity: 10 90% non-condensing
  Certifications: CE, FCC, IC

#### LEDs

- System: (1) bootup animation: Bootup in progress
   Firmware upgrade icon: Firmware upgrading
   Steady white: Factory defaults, awaiting adoption

- Steady white: I actory acraalis, arraning as
   Steady blue: Device is adopted
   Ethernet: Green: 1G, amber: 10/100 Mbps
- SFP: Green: 1G



# Scan this QR code to view the product

All details, up-to-date prices and availability

