

Item no.: MA-WC54-2DS17B_M

MARS MA-WC54-2DS17B - Double Dual Slant (2x +/-45°) Base Station Antenna, 60°, Incl. mounting





Product Description

MARS MA-WC54-2DS17B - Double Dual Slant (2x +/-45°) Base Station Antenna, 60°

MARS wideband 65° sector antenna provides coverage for the 4.9-6.1 GHz band with double dual-slant (+/-45°) in a single antenna radome with high aperture efficiency. Additional

- Wide coverage
- Total 4 outputsPole or wall mounting
- · A possibility of mounting an access point onto antenna

- Frequency range: 4.9 6.1 GHz
 Gain: 4x 17 +/-0.5 dBi
 VSWR, max.: 1.7:1
 Polarization: 2x dual slant +/-45°
 3dB beam-width, azimuth, typ.: 65°

- 3dB beam-width, elevation, typ.: 8°
 Side lobes, min.: -10 dB
 Cross polarization, typ.: -15 dB
- Port-to-port isolation, typ.: -28 dB
 Front-to-back ratio, min.: -35 dB
- Input power, max.: 10 Watt
 Input impedance: 50 Ohm
- Lightning protection: DC grounded

Mechanical

- Dimensions (H x W x D): 370 x 370 x 40 mm (14.5" x 14.5" x 1.6")
- Weight: 2 kgConnector: 4x N-type, female
- Back plane: Aluminum protected through chemical passivation
 Radome: UV protected, Polycarbonate
 Mount: MNT-22 mount

Environmental

- Operating temperature range: -40°C to +65°C
 Vibration: According to IEC 60721-3-4
 Wind load: 200 km/h (survival)

- Flammability: UL94
 Water proofing: IP-67
 Humidity: ETS 300 019-1-4, EN 302 085 (annex A.1.1)
 Salt fog: According to IEC 68-2-11

Scan this QR code to view the product All details, up-to-date prices and availability

