

Item no.: 312075

Item no.: 312075

WLAN Outdoor Panel Antenna, 19 dBi, 5 GHz + 7 m HDF400 Cable

from **65,65 EUR** shipping weight: 1.35 kg Manufacturer: ITELITE

Product Description

IT ELITE PAT50019 - WLAN Outdoor Panel Antenna, 19 dBi, 5 GHz + 7 m HDF400 Cable

Panel antenna working in 5 GHz band with 19 dBi gain that can be mounted for horizontal or vertical polarization. Antenna array is enclosed in an aluminium alloy baseplate with ultraviolet-stable plastic radome.

Perfectly designed for operation under severe weather conditions. Proper materials allow operation in salt water environments without corrosion. High quality construction of pole mounting elements guarantee an easy elevation and tilt adjust as well as rock-stable operation. It can be used in client stations and as small base stations. Key Features:

- 19 dBi directional gain
- High-quality constructionHorizontal or vertical polarization
- Heavy-duty mounting elementsEasy elevation and tilt adjustment
- Designed for all-weather operation

Applications:

- 5 GHz band Wireless LANIEEE 802.11a WLAN systems
- RLAN FWA
- WiMAX

Scope of Delivery:

- 5 GHz antenna PAT50019
- 7 m HDF400 low loss antenna cable
 N-type male connector
- RP-SMA male connector

Electrical Properties:

- Frequency: 4900 5900 MHzGain: 19 dBi
- Polarization: Horizontal or vertical
- Beamwidth deg horizontal: 20°
 Beamwidth deg vertical: 20°
- VSWR·
- Impedance: 50 ohms
- Front-to-back ratio: >20 dB
 Lighting protection: DC ground

Mechanical Properties:

- Technology: Microstrip
 Input connector: N-type / female
 Dimensions: 169 x 169 x 20 mm / 6.8 x 6.8 x 0.8"
 Weight: 0.6 kg / 1.3 lbs
 Radome material: UV-stabilized plastic
 Color: White
 Base material: High-quality aluminium alloy
 Construction: All-weather operation
 Mounting kit: 50.8 mm / 2"

Specifications

Scan this QR code to view the product

All details, up-to-date prices and availability

