

Item no.: SA-5-45-19HV_WM

WiBOX SA M5-45-19HV - 5 GHz, 19 dBi MIMO 2x2 Sector Antenna, Incl. WiMount

from **105,18 EUR**

Item no.: SA-5-45-19HV_WM

shipping weight: 3.20 kg

Manufacturer: Wireless Instruments



Product Description

WiBOX SA M5-45-19HV - 5 GHz, 19 dBi MIMO 2x2 Sector Antenna
 WiBOX SA M5-45-19HV is a dual polarity sector antenna (MIMO 2x2) operating at the frequency range of 5.1 - 5.85 GHz with 19 dBi gain in both polarizations. It was designed for creating short and medium range base stations. The antenna is integrated into the top-quality WiBOX Extra Large box system. The installation space is 24 x 46 x 5 cm (19,29 x 11,42 x 3,94).

The box has IP67 waterproof level, there is enough room to install almost any of the most popular radio equipments. WiBOX Extra Large provides the possibility to integrate the antenna system with other systems, using the additional connector holes located at the bottom of the WiBOX. The waterproof RJ45 connector allows for the use of the PoE standard without the stressful crimping of the RJ45 connector on the installation location (e.g. on the roof or a highmast). The collar around the connectors guarantees the connectors won't get wet.

The WiBOX Extra Large is made from durable plastic material resistant to UV radiation and bad weather conditions. The special reinforced WiMount bracket, made from fiberglass ensures the stability even in the case of strong wind. The WiBOX SA M5-45-19HV works at both polarizations. It comes with 2x SMA female connector. Features

- Horizontal & vertical polarization 19 dBi of gain
- Wide-band operation
- Outdoor waterproof WiBOX Extra Large
- Big and convenient WiBOX Extra Large for radio equipment installation
- RJ45 waterproof system
- Adjustable tilt pole mount - WiMount
- High-quality construction
- 2x SMA female
- DC grounded for lightning protection
- WiMount heavy-duty mounting elements
- Designed for all-weather operation

Applications

- 5 GHz band applications
- IEEE 802.11a WLAN systems
- Base station antennas
- Point to multipoint applications
- Wireless broad band systems
- System integration
- Nstreme protocol
- 802.11n/MIMO standard

- Frequency: 5100 - 5900 MHz
- Gain: 2 x 19 dBi
- Polarization: H&V
- Beamwidth Horizontal: 45°
- Beamwidth Vertical: 8°
- Front to back: N/A
- Port to port isolation: N/A
- VSWR:
- Impedance: 50 ohms
- Connector: RJ45
- Mast Mounting System O: 60 (2,76) mm (inch)
- Waterproof Outdoor BOX: IP67
- Operating Temperature: -40 °C + 70 °C
- Weight: 3 kg
- Dimensions: 490 x 290 x 110 mm (19,29 x 11,42 x 4,33")
- Wind Loading: 70 km/h (43,5 mph)

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability

