

Item no.: 356480

## AV1300-AC1200 Gigabit WLAN Powerline KIT with power socket

from **124,24 EUR**

Item no.: 356480  
shipping weight: 1.00 kg  
Manufacturer: TP-LINK



### Product Description

Powerful WLAN from any power socket despite thick walls

- HomePlug AV2 standard - Up to 1.3 Gbps over existing power lines\*
- Simultaneous dual-band 802.11ac - Up to 300 Mbps on 2.4 GHz and 867 Mbps on 5 GHz, ideal for uninterrupted HD video streaming and online gaming\*
- OneMesh™ - Compatible with other TP-Link OneMesh devices for seamless Wi-Fi coverage in your home
- 2 x 2 MIMO - Efficient transmissions for stable connection simultaneously
- Wi-Fi Clone - Easily add new adapters by adopting WLAN settings at the touch of a button, no additional configuration required
- Wi-Fi Auto-Sync - Automatic synchronisation of all changes to settings, e.g. SSID and password of your WLAN
- Plug and Play - Simple start-up in minutes
- Integrated power socket - Integrated power socket for more flexibility
- 3 x Gigabit ports - Three Gigabit LAN ports for connecting TVs, game consoles

#### HARDWARE FUNCTIONS

- Plug type EU
- Standards and protocols HomePlug AV2, IEEE 1901, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.11b/g/n (2.4 GHz), IEEE 802.11a/n/ac (5 GHz)
- Interface 3 Gigabit Ethernet ports
- Pairing, LED on/off, Wi-Fi, reset
- Power consumption TL-WPA8631P: Maximum: 13.7W, Typical: 11W; TL-PA8010P: Maximum: 4.9W, Typical: 4.6W
- LEDs Power, Powerline, Ethernet, Wi-Fi (2.4 GHz), Wi-Fi (5 GHz)
- Dimensions (W\*D\*H) TL-WPA8631P: 3.0 x 1.7 x 6.0 in. (75 x 42 x 152 mm); TL-PA8010P: 2.8 x 1.7 x 5.2 in. (72 x 42 x 131 mm)
- Range Up to 300 metres/1000 feet over existing power cables
- Compatibility Compatible with all HomePlug AV and HomePlug AV2 standard powerline adapters
- Transmission speeds Powerline: up to 1300 Mbps Ethernet: 10/100/1000 Mbps

#### OTHER

- Certification CE, RoHS
- Package Contents AV1300 Gigabit Passthrough Powerline ac Wi-Fi KIT:
- 1x TL-WPA8631P, 1x TL-PA8010P;
- 2 x Ethernet cables;
- 1 x quick installation guide
- System Requirements System requirements:
- Windows 10/8.1/8/7/Vista/XP, Mac OS, Linux
- System requirements for the tpPLC utility:
- Windows 10/8.1/8/7/Vista/XP and Mac OS X (10.7 or later)
- Operating temperature: 0°C–40°C (32°F–104°F)
- Operating humidity: 10%–90% non-condensing
- Storage humidity: 5%–90% non-condensing

### Specifications

**Scan this QR code to  
view the product**  
All details, up-to-date  
prices and availability



