

Item no.: 384346

AO5G1 - QuOmni 5GLTE SISO, Nm

from **29,76 EUR**

Item no.: 384346
 shipping weight: 0.50 kg
 Manufacturer: QuWireless



Product Description

QuOmni 5G/LTE Nm offers a 360 degrees, 4dBi gain signal. It is a perfect indoor and outdoor device for industrial installations. QuOmni 5G/LTE Nm is a 5G and LTE, Vertical polarity, omni antenna. It with up to 4dBi gain. This antenna is predicted to be installed as the hotspot in parks, stadiums, warehouses, production halls, malls, lecture halls or another public places. Its aesthetic design is acceptable in most of the visible places. Wide frequency range helps to find suitable frequency for the most effective operation. The antenna comes with built-in Nm connector.

5G / LTE ANTENNA SPECIFICATION
FREQUENCY- 617 - 960 MHz- 1.7 - 2.7 GHz- 3.3 - 4.7 GHz- 5.2 - 6.0 GHz
GAIN- 617 - 960 MHz : 3 dBi- 1.7 - 2.2 GHz : 4 dBi- 3.3 - 4.7 GHz : 4.5 dBi- 5.2 - 6.0 GHz : 2.5dBi
SUPPORTED LTE BANDS- 1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 22, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 47, 48, 49, 52, 53, 65, 66, 67, 68, 69, 71, 85, 103, 106
SUPPORTED 5G BANDS- n1, n2, n3, n5, n7, n8, n12, n13, n14, n18, n20, n25, n26, n28, n29, n30, n34, n38, n39, n40, n41, n47, n48, n53, n65, n66, n67, n71, n77, n78, n80, n81, n82, n83, n84, n85, n86, n89, n90, n95, n97, n98, n100, n101, n256
VSWR- <1.80, max <2.00
BEAMWIDTH- 360°/25° ±5°
POLARIZATION- Vertical
IMPEDANCE- 50 Ω
Mechanical specification
MATERIAL- ABS
CONNECTOR TYPE- N male
DIMENSIONS- ø3.0 x 22.0 cm- ø1.18 x 8.66 inch
WEIGHT- 0.2 kg
OPERATING TEMPERATURE- From -40°C to 80°C- From -40°F to 176°F

Specifications

Scan this QR code to
 view the product

All details, up-to-date
 prices and availability

