

Item no.: 384318

APMATDPM - QuMax for Peplink MAX Transit Duo Pro



from 224,66 EUR

Item no.: 384318 shipping weight: 2.00 kg Manufacturer: QuWireless

Product Description

INTEGRATED MULTI-BAND 5G DIRECTIONAL ANTENNA + WIFI OMNI ANTENNA + GPS ANTENNA + PLACE TO INSTALL PEPLINK MAX TRANSIT DUO PRO (ALL-IN-ONE)QuMax all-in-one antenna for Peplink MAX Transit Duo Pro router is dedicated to connections with long distance to base station. It has embedded directional 5G, Wi-Fi and GPS antenna. If you use MAX Transit Duo Pro with QuMax Omni antenna, you get an integrated complete solution with embedded router and multi band antennas in one enclosure. It is the first choice for fixed installations in industrial environment.5G/LTE SPECIFICATIONFREQUENCY- 617 - 960 MHz- 1.7 - 2.7 GHz- 3.3 - 4.6 GHz- 4.7 - 6.0 GHzSUPPORTED LTE BANDS- 1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 22, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 46, 47, 48, 49, 52, 53, 65, 66, 67, 68, 69, 71, 85, 103, 1065UPPORTED 5G BANDS- n1, n2, n3, n5, n7, n8, n12, n13, n14, n18, n20, n25, n26, n28, n29, n30, n34, n38, n39, n40, n41, n46, n47, n48, n53, n65, n66, n67, n71, n77, n78, n79, n80, n81, n82, n83, n84, n85, n86, n89, n90, n95, n97, n98, n100, n101, n256GAIN- 617 - 960 MHz: 6 dBi- 1.7 - 2.7 GHz: 7 dBi- 3.3 - 4.6 GHz: 7 dBi- 4.7 - 6.0 GHz: 5.5dBiVSWR- <2.00, max <3.00BEAMWIDTH- 80°/80° ±15°POLARIZATION- VerticalIMPEDANCE- 50 °WI-FI SPECIFICATIONFREQUENCY- 2.4 - 2.5 GHz: 6dBi- 5 GHz: 7.5dBi- 7 GHz: 7.5dBiVSWR- <1.50, max < 2.00BEAMWIDTH- 360°/25° +/- 5°POLARIZATION- VerticalIMPEDANCE- 50 °MECHANICAL SPECIFICATIONMATERIAL- BS, aluminum, PTFE, FiberglassINGRESS PROTECTION- IP67CONNECTOR TYPE- RJ45DIMENSIONS- 486.0 x 292.2 x 210 mm- 19.13 x 11.50 x 8.27 inchWEIGHT- 1.8 kg- 3.97 lbsOPERATING TEMPERATURE- From -40°C to 75°C- From -40°F to 167°F

Specifications

Scan this QR code to view the product All details, up-to-date prices and availability

