

Item no.: A360M_WM QuMax for Teltonika RUT360





Product Description

A360M - QuMax for Teltonika RUT360

QuMAX offers the most powerful directional LTE antenna of all QuWireless antennas. It is dedicated to connections with long distances to the base station. It is designed to accommodate a Teltonika RUT360 router inside its IP67 enclosure. It is the first choice for fixed installations in industrial environments. It also has embedded outdoor Wi-Fi omni antennas.

LTE Antenna Specifications

- Frequency: 0.694 0.96 GHz; 1.7 2.2 GHz; 2.2 2.7 GHz
 Supported LTE/5G bands: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 23, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 53, 59, 62, 65, 66, 67, 68, 69, 85, n80, n81, n82, n83, n84, n86, n89, n90, n95
 Gain: 0.694 0.96 GHz: 4 dBi; 1.7 2.2 GHz: 5 dBi; 2.2 2.7 GHz: 6 dBi
 Front-to-back ratio: >8 dB
 VSWR:

- VSWR:
- Beam width: 90°/90° +/-30°
- Polarization: Vertical
 Impedance: 50 ohms

Wi-Fi Antenna Specifications

- Frequency: 2.40 2.50 GHz
- Gain: 6 dBi
- VSWR:
- Beam width: 360°/25° +/-5°
- Polarization: Vertical
 Impedance: 50 ohms
- Mechanical Specifications •
- Material: ABS, aluminum, PTFE, fiberglass
 Connector type: RJ45 + 2x N (f) + 2x N (m) in external omni Wi-Fi antenna
- Ingress protection: IP67
 Dimensions: 272 x 276 x 96 mm (10.71 x 10.87 x 3.78 inch)
- Weight: 1.8 kg (3.97 lbs.)
 Operating temperature: From -40°C to 75°C (from -40°F to 167°F)

Specifications

Scan this QR code to view the product All details, up-to-date prices and availability

