

Item no.: 389816

MSR1937-68 - Mounting cabinet 19", 37U, 600 x 800mm



from **825,63 EUR**

Item no.: 389816
shipping weight: 90.00 kg
Manufacturer: Teledesic

Product Description

The 37U rack cabinet is designed to house active and passive equipment that is visible from the outside and protected by a secure lockable steel structure. The cabinet is compatible with fibre optic, data cable or coaxial cable installations, allowing different technologies to be grouped in a single cabinet. Can be used for the installation of GPON headends where the infrastructure requires greater depth (up to 800 mm depth). The cabinet is equipped with depth-adjustable side profiles that allow the installation of different types of panels or devices. It has a reversible and removable front door and rear door, with flexible fixing that facilitates working in the rack. The tempered glass front door makes it possible to see the status of the equipment without opening the rack. The cabinet also has removable side doors with press studs that allow access to the inside of the rack via the sides - an advantage when configuring rear connections. Designed for floor mounting. Supplied with 4 screw-on feet, allowing height adjustment from 45 to 80 mm and simplifying adjustment on sloping or uneven surfaces. Dimensions (W x H x D): 600mm x 1790mm x 800mm Weight: 86kg Highlights- High load capacity and durability: made of steel with a coating based on polyester resins and lead-free pigments- Security: tempered glass, lockable front door with hinges- Laser labelling: numerical identification of each unit "HE"- Horizontal cable guides: Cable panels with 1 U at the top and bottom of the enclosure to guide cabling from one side to the other and facilitate connections- For the installation of active equipment such as headends, a ventilation panel can be installed. A 120x120mm ventilation kit can be integrated for the installation of active equipment such as headends Specification- 19 mm pitch- Height mm 1790- Width mm 600- Depth mm 800- Number of height units (U) 37- Material rack steel- Colour black- Finish electrostatic polyester powder- Number of doors 2- Rear door Yes- Material rear door steel- Max. Load capacity kg 1000- Max. Load capacity (with wheels) kg 960- Max. Max. load capacity (with feet) kg 600- Side opening Yes- Floor mounting type- L-shaped profile rail design- Earthing Yes Physical data- Net weight: 86,000 g- Gross weight: 96,000 g- Width: 600 mm- Height: 1,790 mm- Depth: 800 mm- Main product weight: 86,000 g

Specifications

Scan this QR code to
view the product
All details, up-to-date
prices and availability

