

Item no.: 389674

MSR1918-66 - Mounting cabinet 19", 18U, 600 x 600mm

from **506,76 EUR**

Item no.: 389674
shipping weight: 48.00 kg
Manufacturer: Teledes



Product Description

19" rack cabinet 18U The 18U rack cabinet is designed to accommodate active and passive equipment that is visible from the outside and protected by a secure lockable steel construction. The cabinet is compatible with fibre optic, data cable or coaxial cable installations, allowing different technologies to be grouped in a single cabinet. The cabinet is equipped with depth-adjustable side profiles that allow the installation of different types of panels or equipment. It has a reversible and removable front door and rear door, with flexible fixing that facilitates working in the rack. The tempered glass front door makes it possible to see the status of the equipment without opening the rack. The cabinet also has removable side doors with press studs that allow access to the inside of the rack via the sides - an advantage when configuring rear connections. Designed for floor mounting. Supplied with 4 screw-on feet, they allow height adjustment from 45 to 80 mm and simplify adjustment on sloping or uneven surfaces. Dimensions (W x H x D): 600mm x 942mm x 600mm Weight: 48kg Item no. MSR1918-66 Delivery method: Assembled Product data Ref.no.: 533118 EAN13: 8424450237236 Highlights - High load capacity and durability: made of steel with a coating based on polyester resins and lead-free pigments - Security: tempered glass, lockable front door with hinges - Laser labelling: numerical identification of each unit "HE" - Horizontal cable guides: Cable panels with 1 U at the top and bottom of the enclosure to guide cabling from one side to the other and facilitate connections - For the installation of active equipment such as headends, a ventilation panel can be installed. For the installation of active equipment such as headends, a 120x120mm ventilation kit can be integrated Recommended ventilation systems for racks All our racks are equipped with natural ventilation, but in most cases this is not sufficient, as high temperatures can affect the performance of the individual components. We therefore recommend the installation of a ventilation system. Our fans are suitable for ceiling mounting, as the natural upward flow of warm air is utilised by installing them at the top of the enclosure. The compatibility between our racks and fans is described below.

Specifications

Scan this QR code to
view the product
All details, up-to-date
prices and availability

