

Item no.: 356325

## ARCHER T2E - AC600 Dual Band Wi-Fi PCI Express Adapter

from **18,22 EUR**

Item no.: 356325  
shipping weight: 0.20 kg  
Manufacturer: TP-LINK



### Product Description

Archer T5E is an 802.11ac dual-band Wi-Fi PCI Express adapter with speeds of up to 1167 Mbps (867 Mbps in the 5 GHz band and 300 Mbps in the 2.4 GHz band) that delivers Wi-Fi signals on two separate bands for all your online needs. Choose the 2.4GHz band for browsing, emailing and social media, or switch to the 5GHz band for gaming, streaming and downloading large files.

- Ultra-fast speed - Share your network with Wi-Fi speeds of up to 1167 Mbps (867 Mbps in the 5 GHz band and 300 Mbps in the 2.4 GHz band)
- Bluetooth 4.2 - Achieve 2.5x faster speeds and 10x higher packet capacity than Bluetooth 4.0
- Wide wireless range - Connect to your Wi-Fi in more parts of your home with two high-gain external antennas for better coverage and improved stability
- Easy installation - Plug the adapter into an available PCI-E slot to upgrade your desktop

#### HARDWARE FUNCTIONS

- Interface PCI Express
- Dimensions (W\*D\*H) 4.8 x 3.3 x 0.85 in (120.8 x 83.2 x 21.5 mm)
- Antenna 2 Detachable External Antennas

#### BLUETOOTH FEATURES

- Standards and Protocols: Bluetooth 4.2, Bluetooth 4.0
- Interface: USB 2.0

#### WIFI FEATURES

- WLAN standards IEEE 802.11b/g/n 2.4 GHz, IEEE 802.11a/n/ac 5 GHz
- Transmit power: 5 GHz: 21.5dBm(FCC) / 23dBm(CE) (EIRP); 2.4 GHz : 20.5dBm(FCC) / 20dBm(CE) (EIRP)
- WLAN Security WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

#### OTHER

- Certification FCC, CE, RoHS
- Package contents: AC1200 Wi-Fi Bluetooth 4.2 PCIe Adapter Archer T5E; Low-Profile and Full Height Brackets; Quick Installation Guide; Bluetooth USB Cable; Resource CD
- System Requirements: Windows 10/8.1/8/7 (32/64 bit)
- Operating temperature: 0?~40? (32? ~104?)
- Operating humidity: 10%~90% non-condensing
- Storage humidity: 5%~90% non-condensing

### Specifications

**Scan this QR code to  
view the product**  
All details, up-to-date  
prices and availability



