


Item no.: 395240

83527 - USB 2.0 to serial UART LVTTTL converter with 6 open cable ends and 3.3

from **17,96 EUR**

Item no.: 395240
shipping weight: 0.10 kg
Manufacturer: Delock



Product Description

The USB 2.0 UART converter by Delock expands the computer by four serial RS-232 LVTTTL data lines and an additional output voltage. The converter is suitable for programming, I/O control and data transfer. Technical data- Connections: 1 x USB 2.0 Type-A plug 4 x LVTTTL 3.3 V open cable ends 1 x 3.3 V open cable ends- Chipset: FTDI FT232RL- Compatible with UHCI / OHCI / EHCI controller- Signals: CTS, RTS, RXD, TXD, GND, VCC- Data transfer rate up to 3 Mbps- Data bits: 7 or 8- Stop bits: 1 or 2- Parity: none, space, even, odd, mark- Flow control: none, hardware RTS / CTS, software XON / XOFF- FIFO: 128 bytes - RX 256 bytes - TX- Wire cross-section: 26 AWG- Cable length incl. Cable length incl. connections: approx. 1.8 m- Operating temperature: -20 °C ~ 80 °C System requirements- Linux Kernel 2.6 or higher- Mac OS 10.5 or higher- Windows CE 4.2/5.0/6.0- Windows XP/XP-64/Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64/11- PC or notebook with a free USB Type-A port Package contents- USB 2.0 UART converter- Operating instructions

Specifications

Scan this QR code to
view the product
All details, up-to-date
prices and availability

