

Item no.: 356380

Mobile 4G / LTE WLAN Router

from **53,18 EUR**

Item no.: 356380
 shipping weight: 0.20 kg
 Manufacturer: TP-LINK



Product Description

With TP-Link's 4G/LTE WLAN Router M7000, you can enjoy 3G/4G mobile connectivity with up to 10 wireless devices such as tablets, smartphones, laptops, etc.

- Simultaneous browsing for up to 10 devices
- The 2000mAh battery provides power for up to 8 hours of mains-independent operation
- Supports 4G FDD/TDD LTE cellular standard, compatible with mobile networks in most countries and regions
- Easy management with the tpMiFi app

HARDWARE FUNCTIONS

- Interface 1 Micro USB port for power supply
- 1 SIM card slot
- Power button, reset button
- Power supply Internal 2000 mAh battery
- External 5V/1A
- Network type 4G: FDD-LTE B1/B3/B5/B7/B8/B20 (2100/1800/850/2600/900/800 MHz)
- TDD-LTE B38/B40/B41 (2600/2300/2500 MHz); 3G: HSPA+/ HSPA/UMTS: B1/B5/B8 (2100/850/900 MHz)
- Data rates DL: 150 Mbit/s, UL: 50 Mbit/s
- Dimensions (W*D*H) 3.7 x 2.2 x 0.8 inches (94 x 56.7 x 19.8 mm)
- Antenna Internal antennas
- LED indicators Wi-Fi status, Internet connection status, battery status

WIFI FEATURES

- WLAN standards IEEE 802.11b/g/n
- WLAN speeds Up to 300 Mbps
- Frequency 2.4 GHz
- Receiver sensitivity:
- 11b 11Mbps: -87.5dBm;
- 11g 54Mbps: -74dBm;
- 11n HT20 MCS7: -70dBm;
- 11n HT40 MCS7: -68 dBm;
- Transmit power <20dBm
- WLAN security Supports WPA-PSK/WPA2-PSK, wireless MAC filtering, enables/disables SSID broadcasting
- DHCP server, client, DHCP client list

OTHER

- RNDIS support No
- Package contents Mobile Wi-Fi M7000; Micro USB cable; 2000 mAh battery; Quick installation guide
- System requirements Windows 10/8/7/Vista/XP, Mac OS, Android, iOS, Windows Phone
- Certification CE, RoHS
- Operating Temperature: 0?~35? (32? ~95?)
- Storage temperature: -20?~60? (-4? ~140?)
- Operating humidity: 10%~90% non-condensing
- Storage humidity: 5%~90% non-condensing

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability

